



## General Information

Material number	78728
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Diameter (in mm/in)	170
Installation Depth (in mm/in)	30
Cutout (in mm/in)	155
Net Weight (in kg)	0.33

## Material & Colour

Enclosure Material	cast metal
Enclosure Colour	satin nickel
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

## Technical Information



Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	12V
Dimmable	Yes
max. Wattage (1)	10,9W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1200
Kelvin Complete	3000K
Light colour Complete	WARM WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	Yes
Rated Lamp Power (0,1W precision)	11,2
Colour Tolerance (LED, SDCM)	<6

### Compatible Dimmers

Nr.10: 286710 - BERKER	1
Nr.11: 5TC8 284 - SIEMENS	1
Nr.13: 6519 U - BUSCH-JAEGER	1
Nr.14: 6513 U-102 - BUSCH-JAEGER	1
Nr.16: 0307 00 - GIRA	1
Nr.17: 433 HAB - PEHA	1
Nr.18: 225 TDE - JUNG	1
Nr.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.23: 6591 U-101 - BUSCH-JAEGER	1
Nr.26: 315GLE - ELKO	1
Nr.27: H-GDM250 - HAMILTON	1
Nr.28: 8542 12 00 - BERKER	1
Nr.30: 852,096 - OPUS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1
Nr.35: 6523 U-102 - BUSCH-JAEGER	1

 <b>LED</b>	 warm WHITE				 RECESSED
10,9W	1200l m		Ø 155		

